

EJ
COLE



Docket No.: 060188-0519

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	:	Customer Number: 53080
Masayuki MASUYAMA	:	Confirmation Number: 6973
Application No.: 09/417,097	:	
Patent No.: 7,057,655	:	Group Art Unit: 2612
Filed: October 13, 1999	:	Examiner: Luong Trung NGUYEN
For: AMPLIFYING SOLID-STATE IMAGING DEVICE, AND METHOD FOR DRIVING THE SAME	:	

**REQUEST FOR RECONSIDERATION OF
CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322**

Honorable Commissioner for Patents and Trademarks
Alexandria, VA 22313-1450

Attention: Decisions & Certificates
of Correction Branch

Certificate
APR 25 2007
of Correction

Sir:

In response to the January 12, 2006 communication in reference to cited reference JP 08-293591, which states "The alleged error on the title page, item 56, under References Cited Foreign Patent Documents the second request has been denied by the examiner because the citation is not in conformance with the MPEP 609 and have not been considered. No copy have been received." Applicants request reconsideration for the following reasons.

Attached please find a copy of the examiners initialed 1449 dated and signed April 25, 2005 showing that the examiner has considered the reference in question, which is JP 08-293591. As shown, the Examiner crossed out the note "no copy" and initialed the reference in question, thereby

Patent No.: 7,057,655

confirming the reference had been considered. A new form PTO 1050 is filed herewith for your convenience, also photocopies of the original certificate of correction request dated November 28, 1006 is attached. Issuance of the requested Certificate of Correction is respectfully solicited .

It is further noted that the date being corrected "1998" to "1996" for the given reference was correctly indicated on the copy submitted to the examiner. The photocopy of the PTO-1449 form my have been mistakenly viewed as "1998", thereby causing the error being corrected (a copy of the original PTO-1449 form is being submitted herewith).

Please charge any shortage of fees due in connection with the filing of this paper to Deposit Account 500417 and please credit any excess fees to such Deposit Account.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP



Michael E. Fogarty
Registration No. 36,139

600 13th Street, N.W.
Washington, DC 20005-3096
Phone: 202.756.8000 MEF:JGH
Facsimile: 202.756.8087
Date: March 16, 2007


**Please recognize our Customer No. 53080
as our correspondence address.**



UNITED STATES PATENT AND TRADEMARK OFFICE



Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov



Date Mailed : 1-12-06

McDermott Will & Emery LLP

DC Office

Patent No.: 7,057,665

7,057,655

CATION IS INCORRECT

Patent Issued : June 6, 2006

Inventor(s): You-Young Jung

Title: DEINTERLACING APPARATUS AND METHOD

Docket No.: 060188-0519

PLEASE SEE ATTACHED

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

The alleged error on the title page, item 56, under References Cited Foreign Patent Documents the second request has been denied by the examiner because the citation is not in conformance with the MPEP-609 and have not been considered. No copy have been received.

In view of the foregoing, your request is hereby denied. However, further consideration will be given upon receipt of a request for reconsideration directed to Decisions & Certificates of Correction Branch.

A certificate of correction will issue to correct the remaining errors noted in your request.

Eva James
For Cecelia B. Newman
Certificate of Correction Branch
(703) 308-9390 ext. 124 or ext. 102

McDermott Will & Emery
600 13th Street, NW
Washington, DC 20005

ej

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7057655
DATED : June 06, 2006
INVENTOR(S) : Masayuki MASUYAMA

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title page of the Letters Patent,

Under section (56) References Cited, FOREIGN PATENT DOCUMENTS,
change:

JP 08-293591 11/1998 to JP 08-293591 11/1996

MAILING ADDRESS OF SENDER:
McDermott Will & Emery LLP
600 13th Street, NW
Washington, DC 20005
USA

PATENT NO.
7,057,665

No. of add'l copies
@ 50¢ per page

}

Docket No.: 060188-0519



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	:	Customer Number: 20277
Masayuki MASUYAMA	:	Confirmation Number: 6973
Application No.: 09/417,097	:	
Patent No.: 7,057,655	:	Group Art Unit: 2612
Filed: October 13, 1999	:	
Issued: June 6, 2006	:	Examiner: Luong Trung NGUYEN
For: AMPLIFYING SOLID-STATE IMAGING DEVICE, AND METHOD FOR DRIVING THE SAME		

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

Mail Stop COC
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In reviewing the above-identified patent, a printing error was discovered therein requiring correction in order to conform the Official Record in the application.

The error noted is set forth on the two attached copies of form PTO-1050 Rev. 2-93 in the manner required by the Commissioner's Notice.

Specifically, On the Title page of the Letters Patent,

Under section (56) References Cited, FOREIGN PATENT DOCUMENTS, change: JP 05-227489 8/1993 to JP 05-227489 9/1993, JP 08-293591 11/1998 to JP 08-293591 11/1996, and JP 2000101608 4/2002 to JP 2000101608 4/2000.

The change requested herein occurred as a result of printing the Letters Patent and the Certificate should be issued without expense under Rule 322 of the Rules of Practice. Accordingly, Applicants request issuance of the Certificate of Correction.

Please charge any shortage in fees due in connection with the filing of this paper to Deposit Account 500417 and please credit any excess fees to such deposit account.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP

Michael E. Fogarty
Registration No. 36,139

600 13th Street, N.W.
Washington, DC 20005-3096
Phone: 202.756.8000 MEF:JGH
Facsimile: 202.756.8087
Date: November 28, 2006

**Please recognize our Customer No. 20277
as our correspondence address.**